according to Regulation (EC) No. 453/2010

Dental Use



**Date Issued**: 09/10/2012 **SDS No**: 206-001.8

**Date Revised:** 12/22/2015

**Revision No:** 7

#### Peak® Universal Bond

### SECTION 1: Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier

Product code : DC/71057

Product name : Peak® Universal Bond

**Product description** : Light Cured Adhesive With Chlorhexidine (0.2%)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Professional Dental Adhesive

1.3. Details of the supplier of the safety data sheet

Manufacturer

Ultradent Products, Inc. 505 W. 10200 S.

South Jordan, UT 84095

Distributor

Ultradent Products GmbH Am Westhover Berg 30 51149 Cologne Germany Email: infoDE@ultradent.com

Emergency Phone: +49(0)2203-35-92-0

1.4. Emergency telephone number

**CHEMTREC (NORTH AMERICA) :**(800) 424 - 9300

(INTERNATIONAL):+1(703) 527 - 3887

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Classification according to Directive 1999/45/EC

: The mixture has been assessed and/or tested for its physical, health and

environmental hazards and the following classification applies.

Danger symbols : F,X

**R phrases** : R36/38,R43,R11

Classification according to Regulation(EC) No 1272/2008 [CLP]

**Health** : Eye Irritation, Category 2

Skin Irritation, Category 2 Skin Sensitization, Category 1

Target Organ Toxicity (Single exposure), Category 3

Physical: Flammable Liquids, Category 2

#### 2.2. Label elements

Classification according to Directive 1999/45/EC

Hazard pictogram(s) :



Highly flammable



Irritan

according to Regulation (EC) No. 453/2010

Dental Use



**Date Issued**: 09/10/2012 **SDS No**: 206-001.8

Date Revised: 12/22/2015

**Revision No:** 7

#### Peak® Universal Bond

**R&S statement(s)** : R36/38: Irritating to eyes and skin.

R43: May cause sensitization by skin contact.

R11: Highly flammable.

Classification according to Regulation(EC) No 1272/2008 [CLP]

Hazard pictogram(s)





Flame

Exclamation mark

Signal Word : DANGER

**Hazard statement(s)** : H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H225: Highly flammable liquid and vapour.

Precautionary statement(s)

**Prevention**: P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response : P305: IF IN EYES:

P351: Rinse cautiously with water for several minutes.

P337+P313: If eye irritation persists: Get medical advice/attention. P302+P352: IF ON SKIN: Wash with plenty of soap and water. P332+P313: If skin irritation occurs: Get medical advice/attention.

P301: IF SWALLOWED:

P310: Immediately call a POISON CENTER or doctor/physician.

P330: Rinse mouth.

P331: Do NOT induce vomiting.

P304: IF INHALED:

P342+P311: If experiencing respiratory symptoms: Call a POISON CENTER or

doctor/physician.

**Storage**: P273: Avoid release to the environment.

**Disposal**: P501: Dispose of in compliance with governmental regulations (EC 1975L0442-

20/11/2003).

2.3. Other hazards

Immediate concerns : Irritating to eyes and skin

## **SECTION 3: Composition / information on ingredients**

#### 3.1. Substances

Not Applicable

#### 3.2. Mixtures

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued: 09/10/2012 SDS No: 206-001.8

**Date Revised:** 12/22/2015

**Revision No:** 7

#### Peak® Universal Bond

| Chemical Name               | CAS      | EINECS<br>No. | Wt.%  | Classification<br>according to<br>Directive<br>67/548/EEC | Classification<br>according to<br>Regulation(EC)<br>No 1272/2008<br>[CLP]          |
|-----------------------------|----------|---------------|-------|---|--|
| Ethyl Alcohol               | 64-17-5  | 200-578-6     | < 20  | F; R11  | Flam. Liq.,Cat.<br>2; H225; EUH<br>210   |
| 2-hydroxyethyl Methacrylate | 868-77-9 | 212-782-2     | ≤ 16  | Xi; R43;<br>R36/38  | Eye Irr.,Cat. 2;<br>Skin Irr.,Cat. 2;<br>Skin Sens.,Cat.<br>1; H315; H317;<br>H319 |
| Methacrylic Acid            | 79-41-4  | 201-204-4     | ≤ 6   | C; R34  | EYE DMG.,Cat.<br>1; Skin Irr.,Cat.<br>2; STOT<br>SE,CAT 3;<br>H318                 |
| Chlorhexidine di(acetate)   | 56-95-1  | 200-302-4     | < 0.3 | Xn; R22;<br>R36/37/38;<br>R50                             | Eye Irr.,Cat. 2;<br>Aquatic<br>Chronic,Cat. 2;<br>H319; H301;<br>H410              |

For full text of H-statements and R-phrases: see SECTION 16.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

Following eyes : Immediately flush eyes with plenty of water. Get medical attention, if irritation

persists.

Following skin : Wash with soap and water. Get medical attention if irritation develops or

persists.

Following ingestion : If swallowed, rinse mouth with water, Do NOT Induce Vomiting. Give victim a

glass of water or milk. Call a physician or poison control center if you feel

unwell.

Following inhalation : If inhaled, remove to fresh air. If breathing becomes difficult, call a physician.

### 4.2. Most important symptoms and effects, both acute and delayed

**Eyes**: Irritating to eyes.

**Skin**: May cause skin irritation and sensitization.

Ingestion : May be harmful if swallowed.Inhalation : Maybe harmful if inhaled.

### 4.3. Indication of any immediate medical attention and special treatment needed

according to Regulation (EC) No. 453/2010
Dental Use



Date Issued: 09/10/2012 SDS No: 206-001.8

**Date Revised**: 12/22/2015

Revision No: 7

### Peak® Universal Bond

Notes to physician : Irritating to eyes and skin.

**SECTION 5: Fire fighting measures** 

5.1. Extinguishing media

**Extinguishing media** : Please see Fire Fighting Equipment under Section 5.3.

5.2. Special hazards arising from the substance or mixture

**Explosion hazards**: Keep away from heat, sparks, and flames.

5.3. Advice for firefighters

Fire fighting procedures : General: Evacuate all personnel; use protective equipment for fire-fighting. Use

self-contained breathing apparatus when the product is involved in fire.

Fire fighting equipment : Foam, dry chemical, carbon dioxide (CO<sub>2</sub>).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

**General procedures**: Refer to Section 8 for Personal Protective Equipment.

6.2. Environmental precautions

**Water spill**: Do not allow to enter sewers or drains that may lead to waterways.

6.3. Methods and material for containment and cleaning up

Small spill : Absorb liquid and place in sealed container for disposal. Vapors can travel to an

ignition source.

Large spill : Absorb with inert, damp non-combustible material, then flush area with water.

6.4. Reference to other sections

**Reference to other sections** : Not Applicable

**SECTION 7: Handling and storage** 

7.1. Precautions for safe handling

**Handling** : Keep away from heat, sparks and flame.

**Storage** : See product labeling.

7.2. Conditions for safe storage, including any incompatibilities

Shelf life : See product labeling

7.3. Specific end use(s)

Specific end use(s) : Professional Dental Adhesive

**SECTION 8: Exposure controls / personal protection** 

8.1. Control parameters

Control parameters : Not Determined

8.2. Exposure controls

**Eye/face protection** : Wear eye protection

according to Regulation (EC) No. 453/2010
Dental Use



Date Issued: 09/10/2012 SDS No: 206-001.8

Date Revised: 12/22/2015

**Revision No:** 7

#### Peak® Universal Bond

**Skin protection**: Wear suitable protective clothing and gloves.

Respiratory protection : Good general ventilation should be sufficient to control airborne levels. In case

of insufficient ventilation, wear suitable respiratory equipment.

### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

**Appearance** : Light yellow opaque resin.

Odour : Acrylic, pungent

Flash point :  $< 27^{\circ}$ C

9.2. Other information

Percent volatile : Not Determined

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** : Polymerization occurs when exposed to visible light, ultraviolet light or extreme

heat.

10.2. Chemical stability

**Chemical stability** : Stable when stored and handled under recommended conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization : None

10.4. Conditions to avoid

**Conditions to avoid** : Heat, flames, ignition sources, direct light.

10.5. Incompatible materials

**Incompatible materials** : Ignition sources

10.6. Hazardous decomposition products

Hazardous decomposition products : None known.

### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute

Notes : Device is biocompatible when used as directed by dental professionals per ISO

10993-1.

## SECTION 12: Ecological information

#### 12.1. Toxicity

Aquatic toxicity (acute) : Do not allow to enter sewers or drains that may lead to waterways.

96-hour LC50: Not Determined48-hour EC50: Not Determined

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued: 09/10/2012 SDS No: 206-001.8

Date Revised: 12/22/2015

**Revision No:** 7

#### Peak® Universal Bond

96-hour EC<sub>50</sub> : Not Determined

12.2. Persistence and degradability

Persistence and degradability: Not Determined

12.3. Bioaccumulative potential

Bioaccumulative potential : Not Determined

12.4. Mobility in soil

Mobility in soil : Not Determined

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: Not Determined

12.6. Other adverse effects

**Environmental data** : Not Available

**SECTION 13: Disposal considerations** 

13.1. Waste treatment methods

Disposal method : Dispose of in compliance with governmental regulation. (EC 1975L0442-

20/11/2003)

### **SECTION 14: Transport information**

14.1. UN number

UN number : 1987

14.2. UN proper shipping name

**UN proper shipping name** : Alcohols, n.o.s. (Ethyl alcohol mixture)

14.3. Transport hazard class(es)

Primary hazard class/division : 3
Hazard classification : 3

14.4. Packing group

Packing group : III

14.5. Environmental hazards

Marine pollutant #1 : N/A

14.6. Special precautions for user

 ADR - road
 : N/A

 RID - rail
 : N/A

 IMDG - sea
 : N/A

 IATA - air
 : N/A

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk : N/A

**SECTION 15: Regulatory information** 

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued: 09/10/2012 SDS No: 206-001.8

Date Revised: 12/22/2015

**Revision No:** 7

### Peak® Universal Bond

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

RoHS : Please refer to Medical Devices Directive 93/42/EEC

15.2. Chemical safety assessment

Chemical safety assessment : See Section 11

## SECTION 16: Other information

Relevant R-phrases and/or Hstatements (number and full text) : R11: Highly flammable.

R22: Harmful if swallowed.

R34: Causes burns.

R36/37/38: Irritating to eyes, respiratory system and skin.

R36/38: Irritating to eyes and skin.

R43: May cause sensitization by skin contact.

R50: Very toxic to aquatic organisms.

Aquatic Chronic, Cat. 2: Chronic Hazards to the Aquatic Environment, Category

2

EYE DMG., Cat. 1: Eye Damage, Category 1 Eye Irr., Cat. 2: Eye Irritation, Category 2

Flam. Liq., Cat. 2: Flammable Liquids, Category 2

STOT SE, CAT 3: Target Organ Toxicity (Single exposure), Respiratory Tract

Category 3

Skin Irr., Cat. 2: Skin Irritation, Category 2 Skin Sens., Cat. 1: Skin Sensitization, Category 1 EUH 210: Safety data sheet available on request.

H225: Highly flammable liquid and vapour.

H301: Toxic if swallowed. H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H319: Causes serious eye irritation.

H410: Very toxic to aquatic life with long lasting effects.

Prepared by

: Anu Kattoju

**Revision summary** 

: This SDS replaces the 08/28/2015 SDS. Revised: Section 1: MSDS

No. Section 2: EMERGENCY OVERVIEW - IMMEDIATE

CONCERNS. **Section 4**: INHALATION, NOTES TO PHYSICIAN. **Section 5**: FIRE EXPLOSION, SENSITIVE TO STATIC DISCHARGE, SENSITIVITY TO

IMPACT. Section 8: PERSONAL PROTECTIVE EQUIPMENT -

RESPIRATORY. Section 10: CONDITIONS TO AVOID, INCOMPATIBLE

MATERIALS.

**General statements** 

: N/A= Not Applicable

Manufacturer disclaimer

: FOR DENTAL USE ONLY: Use as directed. The information and recommendations are taken from sources (raw material SDS(s) and

manufacturer's knowledge) believed to be accurate; however, the manufacturer, makes no warranty with respect to the accuracy of the information or the suitability of the recommendation and assumes no liability to any user thereof. Each user should review these recommendations in the specific context of the

according to Regulation (EC) No. 453/2010
Dental Use



**Date Issued :** 09/10/2012 **SDS No :** 206-001.8

Date Revised: 12/22/2015

**Revision No:** 7

## Peak® Universal Bond

intended use and determine whether they are appropriate.